


Alcatel-Lucent OmniVista Cirrus Network Management Suite

Unified network management platform
available in the cloud

The Alcatel-Lucent OmniVista® platform offers unified network management tailored to streamline operations and empower IT teams.

OmniVista Cirrus cloud-based deployment simplifies digital transformation by significantly reducing IT costs and administrative burdens with an always-available, cloud-native, scalable multi-tenant architecture.



It features intuitive configuration workflows, comprehensive troubleshooting for **LAN and WLAN** and real-time and historical monitoring. With advanced Zero Trust access policies, OmniVista offers total enablement for Internet of Things (IoT) with micro-segmentation, and advanced identification of network-connected devices.

OmniVista provides streamlined orchestration and management for Alcatel-Lucent OmniAccess® Stellar Access Points and Alcatel-Lucent OmniSwitch® devices. OmniVista provides AI-enabled operations with OmniVista AIVA, comprehensive analytics, proactive service assurance and advanced network control through the Alcatel-Lucent Unified Policy Access Manager (UPAM)—a Network Access Control (NAC) module offering enterprise-wide authentication, role-based management, guest access and BYOD support. OmniVista enhances IT efficiency with intelligent Quality of Experience (QoE) metrics, user and network behavior analytics and real-time alerting with Rainbow™ by Alcatel-Lucent Communications Platform as a Service (CPaaS).

The OmniVista platform provides enterprise-grade security and resiliency, an intuitive user interface and a shared feature set ensuring seamless management, faster onboarding and the flexibility to scale and adapt to evolving business needs.

Features	Benefits
AI-driven network operations	- OmniVista AIVA (AI Virtual assistant) provides deep product knowledge, leverages real-time network data and analytics to provide intelligent insights, accelerate troubleshooting and simplify network operations - Network Advisor Edge provides autonomous network monitoring, real-time proactive risk detection and automated remediation recommendations to improve network reliability
Investment protection	Full solution support for Alcatel-Lucent enterprise portfolio operating either as CAPEX devices or under OPEX Network as A Service (Naas) operating models for optimal cost flexibility
Streamlined migration path	- OmniVista Migration Tool included with the standard package to facilitate data and configuration migration - Supports migration from eligible source systems, with functionality dependent on source platform and software version - Minimal device reconfiguration required when migrating from OmniVista Cirrus 4 with Alcatel-Lucent devices to the new OmniVista platform
Flexible offer model	- Subscription model with flexible payment options to address diverse business requirements - OmniVista Lite available as a free entry-level service with a limited feature set for SMB deployments - OmniVista Cirrus Standard available as flexible pay (OPEX) or prepaid/upfront payment - Optional bundling of device hardware and maintenance support with OmniVista Network Management Cloud Service - Simplified Subscription operations and management
Simplified IT	Continuous delivery of innovations without service disruption
Flexible operations and management models for large deployments	- OmniVista MSP portal for customer organizations management consolidates critical management information from across the entire network for a global and consistent network experience - Centralized management across multiple customer organizations and sites - Multi-tenant administration with simplified operations - Role-based access control for secure customer network management - Single dashboard for network status, events and alerts - Consistent visibility and control across the entire network
Highly scalable	- Subscription model designed to adapt to evolving business requirements and transformation initiatives - Elastic scalability supporting deployments from small sites to large networks without reconfiguration
Highly available	- Hosted in multiple regional data centers with best-in-class availability and resiliency - Maximum availability is ensured with backup and redundant services and disaster recovery provided by each data center
Highly secure	- Software as a Service (SaaS) application hosted in SOC1 and SOC2 data centers - Separation of management traffic (out-of-band control plane) and user data - Secure communications with the highest level of protection using certificates ranging from a mutual cloud to device authentication - Multi-Factor Authentication (MFA) to secure network administration - Dual-stack IPv4/IPv6 support for modern network environments
Simplified onboarding and provisioning	- Rapid deployment of new devices in minutes, reducing operational costs and eliminating most on-site visits - Zero-Touch Provisioning (ZTP) for OmniAccess Stellar access points and template-based provisioning for OmniSwitch - Minimal networking expertise required for deployment and day-to-day operations, reducing IT workload and resource demands
Advanced monitoring and troubleshooting	- Unified wired and wireless dashboard for proactive monitoring and simplified troubleshooting - Network-wide visibility into key performance indicators (KPIs) for faster issue identification and resolution - Historical and real-time alarms, events and operational insights - QoE analytics to detect DHCP, DNS and authentication issues - Locator feature for end-to-end visibility into wireless client health and performance metrics

Features	Benefits
Integrated NAC	- Alcatel-Lucent Unified Policy Access Manager (UPAM) integrates identity, policies and user/device roles in a single user interface, reducing the learning curve and minimizing IT resources - Enterprise 802.1x authentication with internal or external sources including RADIUS, AD, LDAP and Microsoft Entra ID (Microsoft Azure AD) - Extensive guest access and BYOD support for onboarding and managing visitor and employee personal devices - Fully customizable captive portal with integrated credentials management for email, SMS, and social login
IoT enablement	- Seamless discovery and categorizing of network IoT devices - Automatic enforcement with access role profiles, providing micro-segmentation for Operational Technology (OT) networks
Device software compliance	- Optimal OmniAccess Stellar AP and OmniSwitch firmware update for security compliance and vulnerability management - Device software version upgrade based on scheduling (best software version and AP group selection), reducing maintenance window
IP on secured network	Increased security and resiliency for VoIP devices physically separated from the LAN IP network reduces the risk of voice communications being cut off in the event of a cyberattack and preventive network shutdown

Technical specifications

Simplified ordering and activation

- Subscription model with flexible terms and duration
- Streamlined subscription process from license ordering to subscription activation
- Customer self-service sign-up for tenant registration and service activation

Simplified deployment

- Plug-and-play deployment with zero-touch provisioning and no on-site IT intervention required
- Devices automatically connect and self-provision through the Internet after installation and cabling
- New APs automatically inherit configuration settings, including RF and wireless security policies, from their assigned AP group
- Support for SAML 2.0 Single Sign-On (SSO) with Okta and Microsoft Azure AD for simplified and secure access management

Security

- Traffic from the site to OmniVista is limited to encrypted management and authentication
- Certificate-based authentication and encryption; simplified certificate generation
- Layer 2 VPN encryption and tunneling services between network device and OmniVista

- Administrative management is secured over HTTPS/TLS
- RADsec for user and device authentication
- 802.1X client configuration for OmniAccess Stellar AP configuration
- Role-based multi-tenant administrator with extended granularity
- Firewall-friendly, eliminating complex security policies
- Strong password policies, including two-factor authentication available at the tenant or the multi-tenancy level
- Full IPv6 support

Wi-Fi real-time heatmaps and capacity planning

- Wi-Fi client density heatmaps to visualize coverage quality on the site map and identify areas with strong or weak signal performance
- 3D Wi-Fi client density visualization and heatmaps
- Interactive site-level visibility
- Smart capacity planning

Wi-Fi service provisioning

- Profile-based configuration
- SSID profile has all the information related to SSID: name, encryption, authentication, device-specific PSK, general bandwidth limits, Quality of

Service (QoS), tunneling capabilities and more

- Access Role Profiles (ARP) contain all the information related to the profile to apply to a device connecting to the network including specific QoS, tunneling, VLAN, bandwidth and more
- Radio Frequency (RF) profiles contain radio frequency settings such as allowed bands, regulatory domain settings, channels, association rates, short/long guard intervals
- Profiles apply for the configuration of all the functions of the WLAN network: AAA profiles, QoS unified policies, tunnel profiles, location profiles, period profiles and more
- AP-Group profile is the management entity for a set of APs with a combination of different SSID, ARP, RF and other profiles. All APs in the same group will inherit the AP-Group configuration

LAN service provisioning

- Simplifies and accelerates onboarding, configuration and provisioning with flexible options of templates and UI groups for all supported network devices
- IT admins can instantly apply or modify configurations across multiple devices

- Provides SPB service configuration and management via the Service Manager
- Support for ASA services and automation workflows
- CLI scripting tool for automated operations and workflow execution

Configuration lifecycle

- Optimal device firmware selection, reducing IT involvement with automatic and scheduled software deployment
- Golden configuration allowing maximum compliance for comparison between different versions. Compare configuration, visualize configuration drift for Audit and “out of compliance” remediation.
- Backup and restore for devices with scheduled and instant options for disaster recovery
- Alcatel-Lucent firmware and software versions for LAN and WLAN network devices are advertised from OmniVista as they are production released, ready-to-use and deploy, providing the latest features and best compliance

Unified Network Access Control

- Unified Policy Access Manager (UPAM) for centralized role-based access policies with built-in authentication
- Authentication strategy with Microsoft Entra ID (formerly Microsoft Azure AD), for 802.1x EAP-TTLS for enterprise access
- Advanced guest and BYOD access mobility features, including configuration and monitoring
- Integrated captive portal with support for social login authentication (Facebook, Microsoft 365, Rainbow)
- Enables EAP-TLS-based local authorization for secure network access

Assurance and monitoring

- Single pane of glass for unified monitoring view, streamlining troubleshooting
- Device view for OmniSwitch and OmniAccess Stellar APs with detailed information about the network device (SSID, radios, ports VLANs)
- Integrates and monitors Celona Private 5G access points

- Client View, with detailed information about connected clients list for control, monitoring and troubleshooting
- Reporting module offering an extensive set of graphical, easy reporting capabilities on device connectivity, configuration settings such as SSID (network and application health, throughput etc.) and security settings
- Application-level visibility with DPI across switches and access points

Dashboard

- Rich web-based dashboard, providing visibility and control anywhere from a central cloud application
- Multi-tenant dashboard with all managed tenants, their sites, admin users, devices associated with the tenant, licensing status, audit logs and alarms, providing an overall view of the tenant at-a-glance
- Dashboard with extensive KPIs for LAN and WLAN over time, providing global network health

Network topology

- Intuitive graphical visualization of unified LAN and WLAN infrastructure
- Topology view with visual cues for device type, hardware model, status and notifications
- Comprehensive network visibility including uplinks, LLDP adjacencies, link aggregation and wireless mesh links
- Real-time SPB fabric topology visualization with shortest paths, services and fabric health for simplified troubleshooting
- Geographical view with Wi-Fi client density heatmaps and 3D visualization for optimized capacity planning and coverage analysis

IoT enablement

- IoT inventory with end-point fingerprinting gives complete spectrum visibility of all connected devices across the network with complete contextual information
- Contextual information of all connected devices, including key attributes such as device type, vendor, hardware version, network location and time information

- IoT enforcement with access role profiles automates secure network-wide access based on IoT classification
- Monitor and control network IoT devices with IoT analytics
- Expanded wired IoT capabilities

Wi-Fi assurance

- Qualify the Wi-Fi user experience with QoE metrics such as time-to-connect, roaming time, coverage quality, authentication time and others
- Monitor threshold metrics and simplify troubleshooting: if authentication time increases, the external authentication source may be unavailable
- Troubleshooting and Root-Cause-Analysis (RCA): failure counts per failure type, failure detection over time, threshold management, notifications and alarms
- Analyze client behavior with client session metrics: when users connect, with which devices and for how long, websites most visited, client throughput consumption over time
- Monitor channels and bands, clients per AP, per band, per SSID, bandwidth consumption
- Live and historical client lists, blocklist clients and others
- Monitor authentication records to detect anomalies, user authentication failures, correct role assignments
- Monitor captive portal authentications, guest self-registration records, guest and BYOD devices, IoT devices and more
- Configurable duration for optimal data retention
- Deep Packet Inspection (DPI) providing detailed WLAN application visibility
- Locator search feature for quick identification and access to devices, clients and network elements across the infrastructure

Unified assurance and monitoring

OmniVista AIVA

- AI-powered operations with a virtual assistant for intelligent network operations support
- AI-driven deployment assistance

- A coordinated multi-agent AI framework delivering deep product knowledge, real-time insights and workflow automation

Network Advisor Edge Service

- Intelligent autonomous system for real-time anomaly detection and troubleshooting
- Proactive detection of risks and anomalies with real-time automated alerts
- Built-in remediation capabilities for faster issue resolution (manual or automated)

Diagnostic tools

- Define relevant network events and monitor them over time.
- Define event responders for real-time notifications
- Access from OmniVista Cirrus to on-site APs using HTTPS or SSH
- One-click support gathering information for easy troubleshooting

Open API

- OmniVista Cirrus is built as a native API platform
- Open approach for easy integration into ecosystem application solution
- Authenticated and encrypted API is open and stable with extensive documentation and use case sample
- Easy to integrate with other applications such as Rainbow

Multi-tenancy services

- Allow MSPs and large organizations to effectively manage and monitor multiple associated customers
- Advanced dashboard capabilities for multi-tenancy services including device inventory, alerts and status
- The Multi-tenancy model operates under a hierarchical model, with MSP on top, managing the different

tenants and organization and sites structure

- Multi-tenant architecture with secure account separation for each tenant with role-based administration (RBAC) per site

Cloud-native architecture

- Highly available micro-services architecture for large scale operations and maximum resiliency
- Unlimited number of instances; each instance capable of supporting several multi-sites and organizations
- 100% programmable platform, fully extensible and open solution, through APIs, for network automation and seamless integration with third-party solutions
- Elastic growth from a single network element to thousands of devices per organization
- Cloud velocity with new features incorporated seamlessly, without service disruption

Privacy and regulatory compliance

- Hosted in regional data centers based on customer geographical location for data and regulatory compliance, with high availability and disaster recovery
- Hosted in SoC 1 and SoC 2 compliant data centers
- Energy-efficient data centers
- Compliant with applicable data privacy, security and regulatory framework in the US, EU and abroad
- Compliant with General Data Protection Regulation (GDPR) and California Consumer Privacy Act (CCPA)

OmniVista supported devices

- OmniAccess Stellar APs (15xx series) with minimum AWOS release 5.0.1MR
- OmniAccess Stellar APs (12xx, 13xx, 14xx and 15xx series); AP1101, AP1201H models not supported
- OmniSwitch devices with minimum AOS release 8.9R1,
- OmniSwitch devices with AOS release 6 (SNMP monitoring only)
- For further details on supported devices and required minimum release refer to <https://tinyurl.com/5xwctysv>

Minimum browser requirements

- Google Chrome minimum version 63
- Mozilla Firefox minimum version 56
- Microsoft Edge Chromium version 110

Supported languages

- English, French, Spanish, German, Chinese, Japanese

Alcatel-Lucent OmniVista Cirrus ordering specifications

OmniVista Cirrus is available through:

- a prepaid / upfront subscription model
- in a flexible pay (OPEX) model
- a freemium model (OmniVista Lite) with limited functionality for SMB environments

Several subscription durations are available — see table below.

OmniVista Cirrus is available with three different levels of service and support (Base, Business and Premium service and support bundles).

OmniVista Cirrus			
1, 3 or 5 years for new, add-ons and renewals 1 month for add-ons and renewals			
Prepaid subscription	Flexible pay offer (OPEX mode)		
✓	✓		
	Base	Business	Premium
Access to the Global Welcome Center for service and support	✓	✓	✓
Firmware update and software upgrade for licenced and managed devices*	✓	✓	✓
ALE Business Partner support for OmniVista software	✓	✓	✓
ALE Partner Support Plus for all managed devices (inc. Hardware maintenance, AVR and advanced replacement)		✓	
End customer support access for OmniVista and all licensed and managed devices, (including hardware maintenance, AVR and advanced replacement)			✓

OmniVista Cirrus, delivered as a Software-as-a-Service solution, provides network management subscription services that include access to optimal software and firmware versions for licensed managed devices. Customer support access requires a device-level support contract for managed and licensed devices.

Base Level Subscriptions

SKU	Description
Replace n with 1,3,5 for duration terms (1, 3, 5 years)	
OVCX-APL-BAS-nY	OmniVista Cirrus - Public Cloud - Base Level Subscription for the selected duration (options are one, three or five years) - Covers Low end OmniAccess Stellar AP models AP1x0x, AP1x1x, AP1x2x - Ordering through eBuy - Prepaid mode - Base Support (Excluding device hardware maintenance and node support access) - Includes OVC updates and cloud support access
OVCX-APH-BAS-nY	OmniVista Cirrus - Public Cloud - Base Level Subscription for the selected duration (options are one, three or five years) - Covers High end OmniAccess Stellar AP models AP1x3x, AP1x4x, AP1x5x, AP1x6x and AP1x7x - Ordering through eBuy - Prepaid mode - Base Support (Excluding device hardware maintenance and node support access) - Includes OVC updates and cloud support access
OVCX-63-BAS-nY	OmniVista Cirrus - Public Cloud - Base Level Subscription for the selected duration (options are one, three or five years) - Covers any OS63xx Devices - Base Support (Excluding device hardware maintenance and node support access) - Includes OVC updates and cloud support access
OVCX-64-BAS-nY	OmniVista Cirrus - Public Cloud - Base Level Subscription for the selected duration (options are one, three or five years) - Covers any OS64xx devices - Prepaid mode - Ordering through eBuy - Prepaid mode - Base Support (Excluding device hardware maintenance and node support access) - Includes OVC updates and cloud support access

Datasheet

Base Level Subscriptions

SKU	Description
OVCX-65-BAS-nY	OmniVista Cirrus – Public Cloud – Base Level Subscription for the selected duration (options are one, three or five years) – Covers any OS65xx devices – Ordering through eBuy – Prepaid mode – Base level – Base Support (Excluding device hardware maintenance and node support access) – Includes OVC updates and cloud support access
OVCX-68-BAS-nY	OmniVista Cirrus – Public Cloud – Base Level Subscription for the selected duration (options are one, three or five years) – Covers any OS68xx Devices – Ordering through eBuy – Prepaid mode – Base Support (Excluding device hardware maintenance and node support access) – Includes OVC updates and cloud support access
OOVCX-69-BAS-nY	OmniVista Cirrus – Public Cloud – Base Level Subscription for the selected duration (options are one, three or five years) – Covers any OS69xx devices – Ordering through eBuy – Prepaid mode – Base Support (Excluding device hardware maintenance and node support access) – Includes OVC updates and cloud support access
OVCX-99-BAS-nY	OmniVista Cirrus – Public Cloud – Base Level Subscription for the selected duration (options are one, three or five years) – Covers any OS99xx devices – Ordering through eBuy – Prepaid mode – Base Support (Excluding device hardware maintenance and node support access) – Includes OVC updates and cloud support access
OVCX-ASL-MGT-nY	OmniVista Cirrus – Public Cloud – Base Level Subscription covers OmniSwitch 6350/6450 – OVC updates and Cloud Support access
OVCX-NAE-ND-nY	OmniVista Cirrus 10–Public Cloud – Base Level Subscription covers Network Advisor Edge Service – OVC updates and Cloud Support access
OVCX-AIF-CC-250	OmniVista Cirrus 10–Public Cloud – AIOps and NetOps Feature – Includes 250 AI Credit – Prepaid mode

Business Level Subscriptions

SKU	Description
• Replace n with 1,3,5 for duration terms (1, 3, 5 years)	
OVCX-APL-BIZ-nY	OmniVista Cirrus – Public Cloud – Business Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers low end OmniAccess Stellar AP models AP1x0x, AP1x1x, AP1x2x – Ordering through eBuy – Prepaid mode – Business Support – Includes Partner Plus Support and maintenance for Device (AVR) – Includes OVC updates and cloud support access
OVCX-APH-BIZ-nY	OmniVista Cirrus – Public Cloud –Business Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers High end OmniAccess Stellar AP models AP1x3x, AP1x4x, AP1x5x, AP1x6x and AP1x7x – Ordering through eBuy – Prepaid mode – Business Support – Includes Partner Plus Support and maintenance for Device (AVR) – Includes OVC updates and cloud support access
OVCX-63-BIZ-nY	OmniVista Cirrus – Public Cloud – Business Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers any OS63xx devices – Ordering through eBuy – Prepaid mode – Business Support – Includes Partner Plus Support and maintenance for Device (AVR) – Includes OVC updates and cloud support access
OVCX-64-BIZ-nY	OmniVista Cirrus – Public Cloud –Business Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers any OS64xx Devices – Ordering through eBuy – Prepaid mode – Business Support – Includes Partner Plus Support and maintenance for Device (AVR) – Includes OVC updates and cloud support access
OVCX-65-BIZ-nY	OmniVista Cirrus – Public Cloud –Business Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers any OS65xx devices – Ordering through eBuy – Prepaid mode – Business Support – Includes Partner Plus Support and maintenance for Device (AVR) – Includes OVC updates and cloud support access
OVCX-68-BIZ-nY	OmniVista Cirrus – Public Cloud – Business Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers any OS68xx devices – Ordering through eBuy – Prepaid mode – Business Support – Includes Partner Plus Support and maintenance for Device (AVR) – Includes OVC updates and cloud support access
OVCX-69-BIZ-nY	OmniVista Cirrus – Public Cloud –Business Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers any OS69xx devices – Ordering through eBuy – Prepaid mode –Business Support – Includes Partner Plus Support and maintenance for Device (AVR) – Includes OVC updates and cloud support access
OVCX-99-BIZ-nY	OmniVista Cirrus – Public Cloud –Business Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers any OS99xx devices – Ordering through eBuy – Prepaid mode –Business Support – Includes Partner Plus Support and maintenance for Device (AVR) – Includes OVC updates and cloud support access

Premium Level Subscriptions

SKU	Description
Replace n with 1,3,5 for duration terms (1, 3, 5 years)	
OVCX-APL-PRM-nY	OmniVista Cirrus – Public Cloud – Premium Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers low end OmniAccess Stellar AP models AP1x0x, AP1x1x, AP1x2x – Ordering through eBay – Prepaid mode – Premium Support – Includes End Customer Support Plus for Device (AVR) and OVC updates and support
OVCX-APH-PRM-nY	OmniVista Cirrus 10 – Public Cloud – Premium Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers High end OmniAccess Stellar AP models AP1x3x, AP1x4x, AP1x5x, AP1x6x and AP1x7x – Ordering through eBay – Prepaid mode – Premium Support – Includes End Customer Support Plus for Device (AVR) and OVC updates and support
OVCX-63-PRM-nY	OmniVista Cirrus – Public Cloud – Premium Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers any OS64xx Devices – Ordering through eBay – Prepaid mode – Premium Support – Includes End Customer Support Plus for Device (AVR) and OVC10 updates and support
OVCX-64-PRM-nY	OmniVista Cirrus – Public Cloud – Premium Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers any OS64xx Devices – Ordering through eBay – Prepaid mode – Premium Support – Includes End Customer Support Plus for Device (AVR) and OVC10 updates and support
OVCX-65-PRM-nY	OmniVista Cirrus – Public Cloud – Premium Level Subscription for the selected duration (options are 1, 3 or 5 years) – Covers any OS65xx Devices – Ordering through eBay – Prepaid mode – Premium Support – Includes End Customer Support Plus for Device (AVR) and OVC updates and support
OVCX-68-PRM-nY	OmniVista Cirrus – Public Cloud – Premium Level – 1 Year – Covers any OS68xx Devices – Ordering through eBay – Prepaid mode – Premium Support – Includes End Customer Support Plus for Device (AVR) and OVC updates and support
OVCX-69-PRM-nY	OmniVista Cirrus – Public Cloud – Premium Level – 1 Year – Covers any OS69xx Devices – Ordering through eBay – Prepaid mode – Premium Support – Includes End Customer Support Plus for Device (AVR) and OVC updates and support
OVCX-99-PRM-nY	OmniVista Cirrus – Public Cloud – Premium Level – 1 Year – Covers any OS99xx Devices – Ordering through eBay – Prepaid mode – Premium Support – Includes End Customer Support Plus for Device (AVR) and OVC updates and support

Note: 1 Month BAS/BIZ/PRM License available for add-on and renewal of subscriptions.

Ordering Information for flexible pay offer (OPEX mode)

Flexible pay includes:

- OmniVista Cirrus Network Administration SaaS for all licensed devices
- Firmware update and software upgrade for all licensed and managed devices
- Access to Alcatel-Lucent support center for OmniVista Cirrus SaaS service and support

Not included:

- Device hardware maintenance and Support access plans (sold separately)

SKU	Description
OVC-C-ESS-M	OmniVista Cirrus – Public Cloud – License for Essential Subscription – Covers all supported Stellar Access Points & Essential OmniSwitch devices operating with AOS 8 release (Refer to the table for the list of supported devices per license). List Price defined as per Month. Require Subscription Configuration for duration (min 12-to-60-month max) and choice of payment terms (Monthly, Quarterly, Annually, Prepaid). Includes SaaS software and maintenance update and tech Support access. Excluded device hardware & maintenance support (Sold separately)
OVC-C-ADV-M	OmniVista Cirrus – Public Cloud – License for Advanced Subscription – Covers all Advanced OmniSwitch devices supporting AOS 8 release (Refer to the table for supported devices per license). List Price defined as per month. Require Subscription Configuration for duration (min 12-to-60-month max) and choice of payment terms (Monthly, Quarterly, Annually, Prepaid). Includes SaaS software and maintenance update and Tech Support access Excluded device hardware & maintenance support (Sold separately)
License	License supported device
Essential	OmniAccess Stellar Access Points, OS6360, OS6465, OS6560, OS6570M series
Advanced	OS6860, OS6860E, OS6860N, OS6860P, OS6865, OS6870, OS6900, OS9900 series