



ALE Security Advisory **No. SA-N0050 Ed. 03**

AOS-W / OmniAccess Stellar - WPA2 Key Reinstallation Vulnerabilities

Summary

Common industry-wide flaws in WPA2 key management may allow an attacker to decrypt, replay, and forge some frames on a WPA2 encrypted network. These vulnerabilities may affect both AOS-W and the OmniAccess Stellar AP Operating System.

Description of Issue

See the accompanying FAQ document for more detailed information.

- Reinstallation of the pairwise key in the 4-way handshake (CVE-2017-13077)**
- Reinstallation of the group key in the 4-way handshake (CVE-2017-13078)**
- Reinstallation of the integrity group key in the 4-way handshake (CVE-2017-13079)**
- Reinstallation of the group key in the group key handshake (CVE-2017-13080)**
- Reinstallation of the integrity group key in the group key handshake (CVE-2017-13081)**

AOS-W and AOS-W Instant are not affected by the above vulnerabilities while acting as an authenticator (i.e. operating in standard AP mode).

AOS-W APs are affected by the above vulnerabilities while acting as a Wi-Fi supplicant in the following modes:

- Mesh

AOS-W Instant is affected by the above vulnerabilities while acting as a Wi-Fi supplicant in the following modes:

- Mesh
- Wi-Fi Uplink

Stellar APs are affected by CVE-2017-13077 and CVE-2017-13078 in a few special conditions (client initiate rekey), although these two vulnerabilities are mainly used against clients (supplicants) highlighted in media articles.

Stellar APs are affected by CVE-2017-13080.

Stellar APs are not affected by CVE-2017-13079 or CVE-2017-13081.

Severity: Medium
CVSSv3 Overall Score: 6.7
CVSS Vector: CVSS:3.0/AV:L/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:N

Accepting a retransmitted FT Reassociation Request (CVE-2017-13082)

AOS-W and AOS-W Instant are affected by this vulnerability in both authenticator and supplicant modes.

Stellar APs are affected by this vulnerability when 802.11r is enabled.

Severity: Medium
CVSSv3 Overall Score: 6.7

CVSS Vector: CVSS:3.0/AV:L/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:N

Reinstallation of the STK key in the PeerKey handshake (CVE-2017-13084)

Reinstallation of the Tunneled Direct-Link Setup PeerKey (CVE-2017-13086)

Reinstallation of the Group Key when processing a WNM Sleep Mode Response (CVE-2017-13087)

Reinstallation of the Integrity Group Key when processing a WNM Sleep Mode Response (CVE-2017-13088)

AOS-W products are not affected by these vulnerabilities.

Stellar APs are not affected by these vulnerabilities.

Status on Alcatel-Lucent Enterprise AOS-W and OmniAccess Stellar AP Products

List of products and releases concerned (or affected):

Product Name	Release
AOS-W	<ul style="list-style-type: none"> - AOS-W (all versions prior to 6.3.1.25) - AOS-W 6.4 prior to 6.4.4.16 - AOS-W 6.5.0.x - AOS-W 6.5.1 prior to 6.5.1.9 - AOS-W 6.5.2.x - AOS-W 6.5.3 prior to 6.5.3.3 - AOS-W 6.5.4 prior to 6.5.4.2 - AOS-W 8.x prior to 8.1.0.4 - AOS-W Instant (all versions prior to 4.2.4.9) - AOS-W Instant 4.3 prior to 4.3.1.6 - AOS-W Instant 6.5.2 and 6.5.3 prior to 6.5.3.3 - AOS-W Instant 6.5.4 prior to 6.5.4.2 <p>Note: FIPS and non-FIPS versions of software are both affected equally.</p>
OmniAccess Stellar Operating System	2.0 3.0

List of products and releases **NOT concerned** (or affected):

Product Name	Release
No other products are affected	N/A

Workarounds

Some vulnerabilities described in this advisory can be mitigated by disabling certain features:

- For AOS-W: Ensure that 802.11r is disabled by verifying that any configured SSID profile does not contain a "dot11r-profile". From the command line, "show wlan dot11r-profile" will list any 802.11r profiles that have been configured. If the reference count is 0, 802.11r is not enabled.
- For AOS-W Instant: Ensure that 802.11r is not enabled in any configured WLAN.
- For AOS-W: Disabling 802.11r on the AP infrastructure will effectively mitigate client-side 802.11r vulnerabilities. It will not, however, mitigate client-side 4-way handshake vulnerabilities.

- For AOS-W and AOS-W Instant: Mesh mode for both AOS-W and AOS-W Instant is vulnerable. Until this vulnerability is patched, mesh networks should be disabled.
- For AOS-W: Wi-Fi uplink mode for AOS-W Instant is vulnerable. Until this vulnerability is patched, the Wi-Fi uplink feature should not be used.
- For Stellar APs: CVE-2017-13077 and CVE-2017-13078 - There is no workaround.
- For Stellar APs: CVE-2017-13080 can be mitigated by disabling Broadcast Key Rotate in OV2500 (Broadcast Key Rotation is always disabled in WiFi Express mode and can't be enabled).
- For Stellar APs: CVE-2017-13082 can be mitigated by disabling 802.11r.

Resolution for Alcatel-Lucent Enterprise Affected Products

All listed vulnerabilities have been fixed in the following AOS-W patch releases, which are available for download immediately from support.esd.alcatel-lucent.com:

- 6.3.1.25
- 6.4.4.16
- 6.5.1.9
- 6.5.3.3
- 6.5.4.2
- 8.1.0.4

All listed vulnerabilities have been fixed in the following AOS-W Instant patch releases, which are available for download immediately:

- 4.2.4.9
- 4.3.1.6
- 6.5.3.3
- 6.5.4.2

All listed vulnerabilities have been fixed in the following AWOS patch release for the OmniAccess Stellar AP product line which is available for download immediately from support.esd.alcatel-lucent.com.

- 3.0.0.61

History

Ed.01 (2017 October 16th): creation

Ed.02 (2017 October 18th): updated - Added OmniAccess Stellar AP products

Ed.03 (2017 October 27th): updated - Added OmniAccess Stellar AP release with fix